

# “Wilhelm Kienzl” Arsenic Analyser



The online analyser “Wilhelm Kienzl” from Seibold's Composer analyser family continuously determines the arsenic concentration.

Arsenic has a number of industrial applications. However, if certain geological conditions are met, arsenic from natural sources can be found in ground water as well. The robust, proven and tested measurement technology determines arsenic with high precision and sensitivity while keeping instrument complexity low. The result is a cost-efficient measurement.

Easy and safe handling thanks to non-toxic reagents.

- Robust design
- High accuracy
- Low cost per measurement
- Minimal Maintenance
- Easy handling

## Method

The analyser adds a reagent specific for arsenic to the sample. If arsenic ions are present, a stable chelate complex forms between metal and reagent. This complex with its characteristic colour is detected precisely in the spectrophotometer. The intensity is directly proportional to the concentration of arsenic.

The analyser takes care of regular automatic cleaning and calibration.

## Applications

Drinking water  
Process water  
(semiconductors)  
Ground water  
monitoring  
Landfill water

## **Analyser “Wilhelm Kienzl”**

Measuring method	Spectrophotometric
Measuring interval	Continuous or discontinuous (programmable or external start)
Measuring ranges	1~100 µg/l (ppb), other ranges on request
Accuracy	± 3% based on full scale
Resolution	0.5 µg/l
Calibration	Automatic
Sample volume	75~200 ml per measurement
Signal output	4~20 mA
Power supply	230 V AC ± 10%, 50 Hz, optional 115 V AC oder 24 V DC
Power consumption	Approx. 50 VA
Sample temperature	5~40 °C
Operating conditions	Ambient temperature, humidity up to 95%, non-condensing
Protection class	IP 66
Dimensions	500 mm × 700 mm × 350 mm
Weight	Approx. 35 kg

**Product code 749 011**



Obermühlstraße 70  
82398 Polling - Germany  
[www.gimat.de](http://www.gimat.de)